

FILE 'HOME' ENTERED AT 16:52:29 ON 17 SEP 2002

=> file caplus
COST IN U.S. DOLLARS

SINCE FILE
ENTRY
0.21

TOTAL
SESSION
0.21

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 16:52:52 ON 17 SEP 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 17 Sep 2002 VOL 137 ISS 12
FILE LAST UPDATED: 16 Sep 2002 (20020916/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

CAS roles have been modified effective December 16, 2001. Please check your SDI profiles to see if they need to be revised. For information on CAS roles, enter HELP ROLES at an arrow prompt or use the CAS Roles thesaurus (/RL field) in this file.

=> s octadecyl 3,5-di-ter-butyl-4-hydroxycinnamate

12048 OCTADECYL

1 OCTADECYLS

12049 OCTADECYL

(OCTADECYL OR OCTADECYLS)

5558257 3

5246206 5

389340 DI

3697 DIS

392893 DI

(DI OR DIS)

2288 TER

88 TERS

2366 TER

(TER OR TERS)

189890 BUTYL

27 BUTYLS

189903 BUTYL

(BUTYL OR BUTYLS)

4510914 4

921 HYDROXYCINNAMATE

144 HYDROXYCINNAMATES

990 HYDROXYCINNAMATE

(HYDROXYCINNAMATE OR HYDROXYCINNAMATES)

L1 0 OCTADECYL 3,5-DI-TER-BUTYL-4-HYDROXYCINNAMATE
(OCTADECYL(W)3(W)5(W)DI(W)TER(W)BUTYL(W)4(W)HYDROXYCINNAMATE)

=> s octadecyl (10w) 4-hydroxycinnamate
12048 OCTADECYL
1 OCTADECYLS
12049 OCTADECYL
(OCTADECYL OR OCTADECYLS)
4510914 4
921 HYDROXYCINNAMATE
144 HYDROXYCINNAMATES
990 HYDROXYCINNAMATE
(HYDROXYCINNAMATE OR HYDROXYCINNAMATES)
294 4-HYDROXYCINNAMATE
(4(W)HYDROXYCINNAMATE)

L2 9 OCTADECYL (10W) 4-HYDROXYCINNAMATE

=> s trisnonylphenol phosphite
1 TRISNONYLPHENOL
28308 PHOSPHITE
9446 PHOSPHITES
31081 PHOSPHITE
(PHOSPHITE OR PHOSPHITES)

L3 0 TRISNONYLPHENOL PHOSPHITE
(TRISNONYLPHENOL(W)PHOSPHITE)

=> s trinonylphenol phosphite
3 TRINONYLPHENOL
1 TRINONYLPHENOLS
4 TRINONYLPHENOL
(TRINONYLPHENOL OR TRINONYLPHENOLS)
28308 PHOSPHITE
9446 PHOSPHITES
31081 PHOSPHITE
(PHOSPHITE OR PHOSPHITES)

L4 1 TRINONYLPHENOL PHOSPHITE
(TRINONYLPHENOL(W)PHOSPHITE)

=> s phosphite
28308 PHOSPHITE
9446 PHOSPHITES
L5 31081 PHOSPHITE
(PHOSPHITE OR PHOSPHITES)

=> s hydroxycinnamate
921 HYDROXYCINNAMATE
144 HYDROXYCINNAMATES
L6 990 HYDROXYCINNAMATE
(HYDROXYCINNAMATE OR HYDROXYCINNAMATES)

=> s 15 and 16
L7 11 L5 AND L6

=> d 17 1-11 ti

L7 ANSWER 1 OF 11 CAPLUS COPYRIGHT 2002 ACS
TI Polyolefin molding compositions for manufacture of calendered films and boards

L7 ANSWER 2 OF 11 CAPLUS COPYRIGHT 2002 ACS
TI Stabilized isocyanate-reactive compound and polyurethane foam obtained therefrom

L7 ANSWER 3 OF 11 CAPLUS COPYRIGHT 2002 ACS
 TI Polyamide-acrylonitrile-butadiene rubber blends with reduced gel and
 antigel agent

L7 ANSWER 4 OF 11 CAPLUS COPYRIGHT 2002 ACS
 TI Preparation of benzoxazoles and analogs as lipoxygenase inhibitors

L7 ANSWER 5 OF 11 CAPLUS COPYRIGHT 2002 ACS
 TI Preparation of monoclinic (.alpha.) crystalline modification of
 2,2',2''-nitrilo[triethyl-tris(3,3',5,5'-tetra-tert-butyl-1,1'-biphenyl-
 2,2'-diyl) ***phosphite***] as an antioxidant and heat stabilizer

L7 ANSWER 6 OF 11 CAPLUS COPYRIGHT 2002 ACS
 TI Preparation of triclinic (.beta.) crystalline modification of
 2,2',2''-nitrilo[triethyl-tris(3,3',5,5'-tetra-tert-butyl-1,1'-biphenyl-
 2,2'-diyl) ***phosphite***] as an antioxidant and heat stabilizer

L7 ANSWER 7 OF 11 CAPLUS COPYRIGHT 2002 ACS
 TI Lubricating oil compositions containing novel combination of stabilizers

L7 ANSWER 8 OF 11 CAPLUS COPYRIGHT 2002 ACS
 TI ***Hydroxycinnamates*** and stabilized polyolefin compositions
 containing them

L7 ANSWER 9 OF 11 CAPLUS COPYRIGHT 2002 ACS
 TI Halogenated ***hydroxycinnamate*** phosphates

L7 ANSWER 10 OF 11 CAPLUS COPYRIGHT 2002 ACS
 TI Chlorinated ***hydroxycinnamate*** phosphates

L7 ANSWER 11 OF 11 CAPLUS COPYRIGHT 2002 ACS
 TI Insecticidal and acaricidal compounds

=> d 17 1-11 all

L7 ANSWER 1 OF 11 CAPLUS COPYRIGHT 2002 ACS
 AN 1999:519574 CAPLUS
 DN 131:158369
 TI Polyolefin molding compositions for manufacture of calendered films and
 boards
 IN Wick, Christian; Pfahler, Gerhard; Lichtblau, Alexander
 PA Clariant G.m.b.H., Germany
 SO Eur. Pat. Appl., 35 pp.
 CODEN: EPXXDW
 DT Patent
 LA German
 IC ICM C08K005-00
 ICS C08L023-02
 CC 37-6 (Plastics Manufacture and Processing)
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 934972	A2	19990811	EP 1999-101426	19990127
	EP 934972	A3	20001108		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
	DE 19804910	A1	19990812	DE 1998-19804910	19980207
	US 2002006992	A1	20020117	US 1999-243226	19990203
	TW 418230	B	20010111	TW 1999-88101718	19990204
	ZA 9900922	A	19990810	ZA 1999-922	19990205
	JP 11279339	A2	19991012	JP 1999-29149	19990205
PRAI	DE 1998-19804910	A	19980207		

OS MARPAT 131:158369

AB Polyolefins contg. .gtoreq.1 P- or S-contg., peroxide-decomp. compd. [e.g., tris(2,4-di-tert-butylphenyl) ***phosphite***], .gtoreq.1 phenolic antioxidant, and .gtoreq.1 sterically hindered amine exhibited reduced sticking to the rolls and polymer degrdn. during calendering.

ST polyolefin heat stabilizer synergistic mixt; ***phosphite*** tertiary butylphenyl mixt heat stabilizer polyolefin; hindered amine mixt heat stabilizer polyolefin; phenolic antioxidant synergistic mixt polyolefin; sulfur contg peroxide decomp compd heat stabilizer polyolefin; phosphorus contg peroxide decomp compd heat stabilizer polyolefin

IT Polyamines
Polyamines
RL: MOA (Modifier or additive use); USES (Uses)
(epoxy; polyolefin molding compns. contg. synergistic heat stabilizer mixt. for manuf. of calendered films and boards)

IT Polysiloxanes, uses
RL: MOA (Modifier or additive use); USES (Uses)
(hindered amine group-contg.; polyolefin molding compns. contg. synergistic heat stabilizer mixt. for manuf. of calendered films and boards)

IT Amines, uses
RL: MOA (Modifier or additive use); USES (Uses)
(hindered; polyolefin molding compns. contg. synergistic heat stabilizer mixt. for manuf. of calendered films and boards)

IT Epoxy resins, uses
Epoxy resins, uses
Polyesters, uses
Polyesters, uses
RL: MOA (Modifier or additive use); USES (Uses)
(polyamine-; polyolefin molding compns. contg. synergistic heat stabilizer mixt. for manuf. of calendered films and boards)

IT Polyamines
Polyamines
RL: MOA (Modifier or additive use); USES (Uses)
(polyester-; polyolefin molding compns. contg. synergistic heat stabilizer mixt. for manuf. of calendered films and boards)

IT Antioxidants
Heat stabilizers
Plastic films
(polyolefin molding compns. contg. synergistic heat stabilizer mixt. for manuf. of calendered films and boards)

IT Phenols, uses
Polyamines
RL: MOA (Modifier or additive use); USES (Uses)
(polyolefin molding compns. contg. synergistic heat stabilizer mixt. for manuf. of calendered films and boards)

IT Polyolefins
RL: POF (Polymer in formulation); USES (Uses)
(polyolefin molding compns. contg. synergistic heat stabilizer mixt. for manuf. of calendered films and boards)

IT Molded plastics, processes
RL: PEP (Physical, engineering or chemical process); PROC (Process)
(sheets; polyolefin molding compns. contg. synergistic heat stabilizer mixt. for manuf. of calendered films and boards)

IT 59-02-9, .alpha.-Tocopherol 1709-70-2, 1,3,5-Trimethyl-2,4,6-tris(3,5-di-tert-butyl-4-hydroxybenzyl)benzene 1843-03-4 3806-34-6, Distearyl pentaerythrityldiphosphite 6683-19-8 19277-65-7, Octadecyl 3,5-di-tert-butyl-4- ***hydroxycinnamate*** 26741-53-7, Bis(2,4-di-tert-butylphenyl) pentaerythrityldiphosphite 27676-62-6 31570-04-4, Tris(2,4-di-tert-butylphenyl) ***phosphite*** 32509-66-3 52829-07-9, Bis(2,2,6,6-tetramethylpiperidin-4-yl) sebecate 70198-29-7 71878-19-8 78276-66-1 80410-33-9 86624-80-8 90751-07-8 94274-03-0 105014-05-9 105014-06-0 122586-52-1 124172-53-8

124974-31-8 131290-28-3 154862-43-8 161717-32-4 164391-52-0

164578-16-9 164648-93-5 237081-56-0

RL: MOA (Modifier or additive use); USES (Uses)

(polyolefin molding compns. contg. synergistic heat stabilizer mixt.
for manuf. of calendered films and boards)

IT 9002-88-4, Polyethylene 9003-07-0, Polypropylene 9003-17-2,
Polybutadiene 9003-27-4, Polyisobutylene 9003-28-5, Poly-1-butene
9003-31-0, Polyisoprene 9010-77-9, Acrylic acid-ethylene copolymer
9010-79-1, Ethylene-propylene copolymer 9010-85-9, Isobutylene-isoprene
copolymer 24937-78-8, EVA 24991-43-3, Butadiene-propylene copolymer
56652-70-1, Polymethyl-1-pentene

RL: POF (Polymer in formulation); USES (Uses)

(polyolefin molding compns. contg. synergistic heat stabilizer mixt.
for manuf. of calendered films and boards)

L7 ANSWER 2 OF 11 CAPLUS COPYRIGHT 2002 ACS

AN 1999:233957 CAPLUS

DN 130:282863

TI Stabilized isocyanate-reactive compound and polyurethane foam obtained
therefrom

IN Calabrese, Ronald A.; Boccuzzi, Rosemarie A.

PA Uniroyal Chemical Company, Inc., USA

SO PCT Int. Appl., 33 pp.

CODEN: PIXXD2

DT Patent

LA English

IC ICM C08K005-134

CC 37-6 (Plastics Manufacture and Processing)

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9916821	A1	19990408	WO 1998-US20349	19980929
	W: BR, CA, MX, US				
	RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
	CA 2302707	AA	19990408	CA 1998-2302707	19980929
	EP 1023377	A1	20000802	EP 1998-949599	19980929
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
	BR 9815386	A	20001121	BR 1998-15386	19980929
	US 6348514	B1	20020219	US 2000-486762	20000301
PRAI	US 1997-60568P	P	19970930		
	WO 1998-US20349	W	19980929		

AB Disclosed is an isocyanate-reactive compn. comprising an
isocyanate-reactive compd. having an equiv. wt. of from about 400 to about
12000, and a stabilizing amt. of Me 3-(4-hydroxy-3,5-di-tert-
butylphenyl)propionate with optional costabilizers selected from another
phenolic, an amine, a ***phosphite***, a thioether, or a lactone
stabilizer to form a stabilizer package which may be further used in a
process for prepg. a flexible polyurethane foam comprising reacting
together an org. polyisocyanate with an isocyanate-reactive compn. in the
presence of a blowing agent to form the polyurethane foam. These
stabilizer packages impart phys. and color scorch protection to the
polyurethane foam products.

ST scorch resistant polyurethane foam manuf polyol stabilizer mixt; lactone
tertiary butylhydroxyphenylpropionate polyol mixt polyurethane foam manuf;
thioether tertiary butylhydroxyphenylpropionate polyol mixt polyurethane
foam manuf; ***phosphite*** tertiary butylhydroxyphenylpropionate
polyol mixt polyurethane foam manuf; amine tertiary
butylhydroxyphenylpropionate polyol mixt polyurethane foam manuf;
hydroxyphenylpropionate tertiary butyl polyol mixt polyurethane foam manuf

IT Plastic foams

RL: PRP (Properties)

(Me- (di-tert-butylhydroxyphenyl)propionate-stabilized isocyanate-reactive compds. for scorch-resistant polyurethane foams)

IT Amines, uses
Phenols, uses
RL: MOA (Modifier or additive use); USES (Uses)
(hindered, optional costabilizer; Me- (di-tert-butylhydroxyphenyl)propionate-stabilized isocyanate-reactive compds. for scorch-resistant polyurethane foams)

IT Lactones
Thioethers
RL: MOA (Modifier or additive use); USES (Uses)
(optional costabilizer; Me- (di-tert-butylhydroxyphenyl)propionate-stabilized isocyanate-reactive compds. for scorch-resistant polyurethane foams)

IT Polyurethanes, properties
RL: POF (Polymer in formulation); PRP (Properties); USES (Uses)
(polyether-; Me- (di-tert-butylhydroxyphenyl)propionate-stabilized isocyanate-reactive compds. for scorch-resistant polyurethane foams)

IT 6386-38-5
RL: MOA (Modifier or additive use); USES (Uses)
(Me- (di-tert-butylhydroxyphenyl)propionate-stabilized isocyanate-reactive compds. for scorch-resistant polyurethane foams)

IT 26471-62-5D, TDI, polyether-polyurethanes
RL: POF (Polymer in formulation); PRP (Properties); USES (Uses)
(Me- (di-tert-butylhydroxyphenyl)propionate-stabilized isocyanate-reactive compds. for scorch-resistant polyurethane foams)

IT 74-31-7, N,N'-Diphenyl-p-phenylenediamine 88-24-4, 2,2'-Methylenebis(4-ethyl-6-tert-butylphenol) 88-26-6, 2,6-Di-tert-butyl-4-hydroxymethylphenol 89-83-8, Thymol 96-66-2, 4,4'-Thiobis(6-tert-butyl-o-cresol) 99-89-8, p-Isopropylphenol 101-54-2, p-Amino-diphenylamine 101-73-5, p-Isopropoxydiphenylamine 104-40-5 119-47-1, 2,2'-Methylenebis(6-tert-butyl-4-methylphenol) 122-37-2, p-Hydroxyldiphenylamine 122-39-4, Diphenylamine, uses 122-39-4D, Diphenylamine, octyl- Bu Ph derivs. 128-37-0, BHT, uses 140-66-9, p-(1,1,3,3-Tetramethylbutyl)phenol 1205-71-6, p-Chlorodiphenylamine 1319-77-3, Cresol 1638-22-8, p-Butylphenol 1879-09-0, 6-tert-Butyl-2,4-dimethyl-phenol 2082-79-3 4130-42-1, 2,6-Di-tert-butyl-4-ethylphenol 4306-88-1 4496-45-1 4496-49-5 4627-22-9, p,p'-Di-tert-butylldiphenylamine 5530-30-3, 4-Butyl-2,6-di-tert-butylphenol 15721-78-5, p,p'-Di-tert-octyldiphenylamine 15721-82-1 17540-75-9, 2,6-Di-tert-butyl-4-sec-butylphenol 19277-65-7, Octadecyl 3,5-di-tert-butyl-4-***hydroxycinnamate*** 19371-09-6, 2,4-Dimethyl-6-octylphenol 22014-01-3D, 3,5-Di-tert-butyl-4-hydroxycinnamic acid, C7-9 branched alkyl ester 25167-96-8, Dinaphthylamine 36294-24-3, Ethyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate 76434-14-5, Ditolylamine 84875-82-1 124367-43-7, Propyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate 142944-36-3, p'-Butyl-p-tert-octyldiphenylamine 222855-41-6 222855-42-7, Dianilinodiphenylmethane 222981-25-1 222981-26-2, [1,1'-Biphenyl]-ar,ar',4,4'-tetrol
RL: MOA (Modifier or additive use); USES (Uses)
(optional costabilizer; Me- (di-tert-butylhydroxyphenyl)propionate-stabilized isocyanate-reactive compds. for scorch-resistant polyurethane foams)

RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Mitsubishi Chem Ind Ltd; JP 51117750 A 1976 CAPLUS
- (2) Statton, G; US 4444676 A 1984 CAPLUS
- (3) Uniroyal Chemical Company Inc; WO 9422945 A 1994 CAPLUS

L7 ANSWER 3 OF 11 CAPLUS COPYRIGHT 2002 ACS

AN 1998:217479 CAPLUS

DN 128:231480

TI Polyamide-acrylonitrile-butadiene rubber blends with reduced gel and
antigel agent
IN Horvath, James Walter; Howard, Faith Michelle
PA Goodyear Tire + Rubber Co., USA
SO Eur. Pat. Appl., 6 pp.
CODEN: EPXXDW
DT Patent
LA English
IC ICM C08L009-02
ICS C08K005-08; C08K005-13; C08K005-524; C08K005-38
ICI C08L009-02, C08L077-00
CC 39-9 (Synthetic Elastomers and Natural Rubber)
Section cross-reference(s): 37

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 832923	A1	19980401	EP 1997-116495	19970922
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
	US 5852086	A	19981222	US 1996-729635	19960930
	CA 2209468	AA	19980330	CA 1997-2209468	19970702
	JP 10120831	A2	19980512	JP 1997-265794	19970930
PRAI	US 1996-729635		19960930		
AB	An antigel agent composed of 4 types of antioxidants allows polyamides to be blended with acrylonitrile/butadiene polymers with min. generation of gels and yields a blend which can be extruded or sheeted to give a uniformed shaped product, for example, sheets and molded articles, and is essentially free of plugging the screens of the extruder used to extrude hose tube or sheet. An example antigel stabilizer package contained trisnonylphenyl ***phosphite***, octadecyl-3,5-di-tert-butyl-4-***hydroxycinnamate***, 2,5-di-tert-amyl hydroquinone, and distearylthiodipropionate.				
ST	polyamide nitrile rubber blend; antioxidant mixt blend extrusion; gel redn polyamide blend stabilizer package; phenolic antioxidant stabilizer polyamide blend; hydroquinone antioxidant stabilizer polyamide blend; thioester antioxidant stabilizer polyamide blend; ***phosphite*** antioxidant stabilizer polyamide blend				
IT	Polyamides, uses RL: PEP (Physical, engineering or chemical process); POF (Polymer in formulation); PROC (Process); USES (Uses) (arom.; polyamide-acrylonitrile-butadiene rubber blends with reduced gel and antigel agent for easy blend extrusion)				
IT	Antioxidants (blend of phenolic compd., alkyl hydroquinone, thioester synergist, and org. ***phosphite***; polyamide-acrylonitrile-butadiene rubber blends with reduced gel and antigel agent for easy blend extrusion)				
IT	Polymer blends RL: PEP (Physical, engineering or chemical process); PROC (Process) (polyamide-acrylonitrile-butadiene rubber blends with reduced gel and antigel agent for easy blend extrusion)				
IT	Nitrile rubber, uses Polyamides, uses RL: PEP (Physical, engineering or chemical process); POF (Polymer in formulation); PROC (Process); USES (Uses) (polyamide-acrylonitrile-butadiene rubber blends with reduced gel and antigel agent for easy blend extrusion)				
IT	9003-18-3 RL: PEP (Physical, engineering or chemical process); POF (Polymer in formulation); PROC (Process); USES (Uses) (nitrile rubber, polyamide-acrylonitrile-butadiene rubber blends with reduced gel and antigel agent for easy blend extrusion)				
IT	79-74-3, 2,5-Di-tert-amyl hydroquinone 693-36-7, Distearylthiodipropionate 3806-34-6, Distearyl pentaerythritol				

diphosphite 10595-72-9 16545-54-3, Dimyristylthiodipropionate
 19277-65-7, Octadecyl-3,5-di-tert-butyl-4- ***hydroxycinnamate***
 26523-78-4, Trisnonylphenyl ***phosphite*** 26741-53-7,
 Bis-2,4-di-tert-butylphenyl pentaerythritol diphosphite
 RL: MOA (Modifier or additive use); USES (Uses)
 (part of stabilizer package for polyamide-acrylonitrile-butadiene
 rubber blends)

L7 ANSWER 4 OF 11 CAPLUS COPYRIGHT 2002 ACS
 AN 1996:457825 CAPLUS
 DN 125:114592
 TI Preparation of benzoxazoles and analogs as lipoxxygenase inhibitors
 IN Wakabayashi, Toshio; Furusaka, Takatoshi; Ooba, Setsuya; Murota, Seiitsu
 PA Sando Yakuhin Kk, Japan
 SO Jpn. Kokai Tokkyo Koho, 25 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese
 IC ICM C07D263-56
 ICS A61K031-42; A61K031-425; A61K031-435; C07D277-64; C07D498-04
 CC 28-6 (Heterocyclic Compounds (More Than One Hetero Atom))
 Section cross-reference(s): 1
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 08113567	A2	19960507	JP 1994-251082	19941017
OS	MARPAT 125:114592				
GI					

/ Structure 1 in file .gra /

AB The title compds. I [n = 1 or 2; R1 = OH, MeO, Me; R2 = H; R3 = H, Me,
 etc.; Y = Q1, etc.; R4 - R6 = H, alkyl, etc.; X = O, S] are prepd. The
 title compd. (E)-II (NMR data given) in vitro showed IC50 of 8.9 x 10⁻⁷ M
 against lipoxxygenase.
 ST benzoxazole prepn lipoxxygenase inhibitor
 IT Allergy inhibitors
 Inflammation inhibitors
 (benzoxazoles and analogs)
 IT 173033-15-3P 173033-24-4P 173033-26-6P 173033-27-7P 173033-28-8P
 173033-32-4P 173033-33-5P 173033-34-6P 173033-35-7P 173033-38-0P
 179122-04-4P 179122-05-5P 179122-06-6P 179122-07-7P 179122-08-8P
 179122-09-9P 179122-10-2P 179122-11-3P 179122-12-4P 179122-13-5P
 179122-14-6P 179122-15-7P 179122-16-8P 179122-17-9P 179122-18-0P
 179122-19-1P 179122-20-4P 179122-21-5P 179122-22-6P
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological
 study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use);
 BIOL (Biological study); PREP (Preparation); USES (Uses)
 (prepn. of benzoxazoles and analogs as lipoxxygenase inhibitors)
 IT 80619-02-9, 5-Lipoxxygenase
 RL: BSU (Biological study, unclassified); BIOL (Biological study)
 (prepn. of benzoxazoles and analogs as lipoxxygenase inhibitors)
 IT 79-04-9, Chloroacetyl chloride 95-55-6, 2-Aminophenol 95-84-1,
 2-Amino-4-methylphenol 95-85-2, 2-Amino-4-chlorophenol 96-53-7,
 2-Mercaptothiazoline 122-52-1, Triethyl ***phosphite*** 867-13-0,
 Triethyl phosphonoacetate 1198-27-2, 1-Amino-2-naphthol hydrochloride
 2233-18-3, 4-Hydroxy-3,5-dimethylbenzaldehyde 5533-00-6 26628-22-8,
 Sodium azide 30192-51-9 37859-43-1, 2-Chloromethylbenzothiazole
 56862-58-9 67190-14-1, Ethyl 3-amino-4-hydroxybenzoate hydrochloride
 69113-98-0, Ethyl 3,5-dimethoxy-4- ***hydroxycinnamate*** 110704-34-2
 116993-80-7 164408-51-9

RL: RCT (Reactant); RACT (Reactant or reagent)
 (prepn. of benzoxazoles and analogs as lipoxygenase inhibitors)
 IT 6913-45-7P 10147-68-9P 18853-71-9P 32278-24-3P 35588-38-6P
 41014-40-8P 41014-43-1P 41014-44-2P 63842-07-9P 63842-14-8P
 63842-22-8P 134997-67-4P 157028-15-4P 162190-75-2P 164408-47-3P
 164408-49-5P 164408-50-8P 164408-52-0P 164408-53-1P 164408-54-2P
 164408-55-3P 173033-17-5P 173033-18-6P 173033-19-7P 173033-20-0P
 173033-21-1P 173033-36-8P 173033-37-9P 179122-23-7P 179122-24-8P
 179122-25-9P 179122-26-0P 179122-27-1P 179122-28-2P 179122-29-3P
 179122-30-6P 179122-31-7P 179122-32-8P 179122-33-9P 179122-34-0P
 179122-35-1P 179122-36-2P 179122-37-3P 179122-38-4P 179122-39-5P
 179122-40-8P 179122-41-9P 179122-42-0P 179122-43-1P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (prepn. of benzoxazoles and analogs as lipoxygenase inhibitors)

L7 ANSWER 5 OF 11 CAPLUS COPYRIGHT 2002 ACS
 AN 1995:559646 CAPLUS
 DN 122:292342
 TI Preparation of monoclinic (.alpha.) crystalline modification of
 2,2',2''-nitrilo[triethyl-tris(3,3',5,5'-tetra-tert-butyl-1,1'-biphenyl-
 2,2'-diyl) ***phosphite***] as an antioxidant and heat stabilizer
 IN Pastor, Stephen D.; Shum, Sai P.; Odoristo, Paul A.
 PA Ciba-Geigy A.-G., Switz.
 SO PCT Int. Appl., 33 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 IC ICM C07F009-6574
 ICS C08K005-527
 CC 37-6 (Plastics Manufacture and Processing)
 FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9412509	A1	19940609	WO 1993-US11327	19931122
	W: AU, BB, BG, BR, BY, CA, CZ, FI, HU, JP, KP, KR, KZ, LK, LV, MG, MN, MW, NO, NZ, PL, RO, RU, SD, SK, UA, US, UZ, VN				
	RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
	US 5334739	A	19940802	US 1992-983180	19921130
	CA 2148926	AA	19940609	CA 1993-2148926	19931122
	AU 9456745	A1	19940622	AU 1994-56745	19931122
	AU 686124	B2	19980205		
	EP 670843	A1	19950913	EP 1994-902345	19931122
	EP 670843	B1	19970226		
	R: AT, BE, DE, ES, FR, GB, IT, NL, SE				
	JP 08503948	T2	19960430	JP 1993-513309	19931122
	AT 149173	E	19970315	AT 1994-902345	19931122
	ES 2100672	T3	19970616	ES 1994-902345	19931122
	RU 2114856	C1	19980710	RU 1995-113872	19931122
	BR 9307546	A	19990831	BR 1993-7546	19931122
	SK 280212	B6	19991008	SK 1995-717	19931122
	ZA 9308893	A	19940601	ZA 1993-8893	19931129
PRAI	US 1992-983180	A	19921130		
	WO 1993-US11327	W	19931122		

GI

/ Structure 2 in file .gra /

AB The title compd. (I), useful for stabilizing org. materials against oxidative, thermal or light-induced degrdn., is prepd. in .alpha.,

monoclinic cryst. form m. 145-165.degree. and having a distinct X-ray diffraction pattern (data given) and a relative abs. configuration of the 3 dibenzo[d,f][1,3,2]dioxaphosphhepin rings of R*,R*,R*. This was accomplished by (re)crystn. from a mixt. of an arom. hydrocarbon and a C1-3 alkanol solvent or from an ether, or ester, or a mixt. of halo aliph. hydrocarbons and C1-3 alkanols, esp. from EtOAc, Et2O, or a Me2CHOH-CH2Cl2 mixt. The powder form is inferior in terms of handling, apparent d., flowability, metering capability, storage and hydrolytic stability. Thus, polypropylene (Profax 6501) contg. Ca stearate 0.075, neopentanetetrayl tetrakis(3,5-di-tert-butyl-4- ***hydroxycinnamate***) 0.075, and monoclinic I 0.075% had melt index 5.6 after 1st and 7.4 after 3d extrusion, vs. 8.1 and 17.5 for a similar compn. contg. no I.

ST polypropylene stabilization biphenyldiyl ***phosphite*** deriv;
biphenyldiyl ***phosphite*** deriv heat stabilizer; nitrilotriethyl
phosphite biphenyldiyl heat stabilizer polypropylene; crystn
biphenyldiyl ***phosphite*** deriv solvent mixt

IT Antioxidants
Heat stabilizers
(prepn. of .alpha.-cryst. modification of 2,2',2''-nitrilo[triethyl-
tris(3,3',5,5'-tetra-tert-butyl-1,1'-biphenyl-2,2'-diyl)
phosphite] as an antioxidant and heat stabilizer)

IT 80410-33-9P, Ethanamine, 2-[[[2,4,8,10-tetrakis(1,1-
dimethylethyl)dibenzo[d,f][1,3,2]dioxaphosphhe pin-6-yl]oxy]-N,N-bis[2-
[[2,4,8,10-tetrakis(1,1-dimethylethyl)dibenzo[d,f][1,3,2]dioxaphosphhepin-6-
yl]oxy]ethyl]-
RL: MOA (Modifier or additive use); PRP (Properties); SPN (Synthetic
preparation); PREP (Preparation); USES (Uses)
(monoclinic cryst. modification; prepn. of .alpha.-cryst. modification
of 2,2',2''-nitrilo[triethyl-tris(3,3',5,5'-tetra-tert-butyl-1,1'-
biphenyl-2,2'-diyl) ***phosphite***] as an antioxidant and heat
stabilizer)

IT 25085-53-4, Profax 6501
RL: POF (Polymer in formulation); USES (Uses)
(prepn. of .alpha.-cryst. modification of 2,2',2''-nitrilo[triethyl-
tris(3,3',5,5'-tetra-tert-butyl-1,1'-biphenyl-2,2'-diyl)
phosphite] as an antioxidant and heat stabilizer)

L7 ANSWER 6 OF 11 CAPLUS COPYRIGHT 2002 ACS
AN 1995:559645 CAPLUS
DN 122:292341
TI Preparation of triclinic (.beta.) crystalline modification of
2,2',2''-nitrilo[triethyl-tris(3,3',5,5'-tetra-tert-butyl-1,1'-biphenyl-
2,2'-diyl) ***phosphite***] as an antioxidant and heat stabilizer
IN Pastor, Stephen D.; Shum, Sai P.
PA Ciba-Geigy A.-G., Switz.
SO PCT Int. Appl., 34 pp.
CODEN: PIXXD2
DT Patent
LA English
IC ICM C07F009-6574
ICS C09K015-32; C08K005-527
CC 37-6 (Plastics Manufacture and Processing)
FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9412508	A1	19940609	WO 1993-US11320	19931122
	W: AU, BB, BG, BR, BY, CA, CZ, FI, HU, JP, KP, KR, KZ, LK, LV, MG, MN, MW, NO, NZ, PL, RO, RU, SD, SK, UA, US, UZ, VN				
	RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
	US 5326802	A	19940705	US 1992-983181	19921130
	CA 2148933	AA	19940609	CA 1993-2148933	19931122
	AU 9456157	A1	19940622	AU 1994-56157	19931122

AU 687021	B2	19980219		
EP 670842	A1	19950913	EP 1994-901637	19931122
EP 670842	B1	19970122		
R: AT, BE, DE, ES, FR, GB, IT, NL, SE				
AT 148125	E	19970215	AT 1994-901637	19931122
ES 2099574	T3	19970516	ES 1994-901637	19931122
RU 2123007	C1	19981210	RU 1995-114523	19931122
SK 279945	B6	19990611	SK 1995-715	19931122
BR 9307544	A	19990615	BR 1993-7544	19931122
ZA 9308894	A	19940801	ZA 1993-8894	19931129
PRAI US 1992-983181	A	19921130		
WO 1993-US11320	W	19931122		

GI

/ Structure 3 in file .gra /

AB The title compd. (I), useful for stabilizing org. materials against oxidative, thermal or light-induced degrdn., is prepd. in a .beta., triclinic cryst. form m. 200-207.degree. and having a distinct X-ray diffraction pattern (data given) and a relative abs. configuration of the 3 stereo axes of the dibenzo[d,f][1,3,2]dioxaphosphopin rings of R*,R*,S*. This was accomplished by heating the melt of I at 177-200.degree. under reduced pressure (with optional seeding), or by recrystn. from a solvent, esp. from BuOH mixts. with PhMe, MeCOEt, or Me2CO. The powder form is inferior in terms of handling, apparent d., flowability, metering capability, storage and hydrolytic stability. Thus, polypropylene (Profax 6501) contg. Ca stearate 0.075, neopentetetrayl tetrakis(3,5-di-tert-butyl-4- ***hydroxycinnamate***) 0.075, and triclinic I 0.075% had melt index 5.8 after 1st and 8.6 after 3d extrusion, vs. 8.1 and 17.5 for a similar compn. contg. no I.

ST polypropylene stabilization biphenyl ***phosphite*** deriv; biphenyl ***phosphite*** deriv heat stabilizer; nitrilotriethyl ***phosphite*** biphenyldiyl heat stabilizer polypropylene; crystn biphenyldiyl ***phosphite*** deriv solvent mixt

IT Antioxidants
Heat stabilizers
(prepn. of .beta.-cryst. modification of nitrilo[triethyl-tris(tetra-tert-butylbiphenyldiyl) ***phosphite***] as antioxidant and heat stabilizer)

IT 25085-53-4, Profax 6501
RL: MSC (Miscellaneous)
(heat stabilization of; prepn. of .beta.-cryst. modification of nitrilo[triethyl-tris(tetra-tert-butylbiphenyldiyl) ***phosphite***] as antioxidant and heat stabilizer)

IT 80410-33-9P, Ethanamine, 2-[[[2,4,8,10-tetrakis(1,1-dimethylethyl)dibenzo[d,f][1,3,2]dioxaphosphopin-6-yl]oxy]-N,N-bis[2-[[[2,4,8,10-tetrakis(1,1-dimethylethyl)dibenzo[d,f][1,3,2]dioxaphosphopin-6-yl]oxy]ethyl]-
RL: MOA (Modifier or additive use); PRP (Properties); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)
(triclinic cryst. modification; prepn. of .beta.-cryst. modification of nitrilo[triethyl-tris(tetra-tert-butylbiphenyldiyl) ***phosphite***] as antioxidant and heat stabilizer)

L7 ANSWER 7 OF 11 CAPLUS COPYRIGHT 2002 ACS
AN 1992:514966 CAPLUS
DN 117:114966
TI Lubricating oil compositions containing novel combination of stabilizers
IN Cohen, Stephen Cedric
PA Petro-Canada Inc., Can.
SO Eur. Pat. Appl., 12 pp.

CODEN: EPXXDW
DT Patent
LA English
IC ICM C10M141-10
ICI C10M141-10, C10M133-40, C10M137-02; C10N030-10
CC 51-8 (Fossil Fuels, Derivatives, and Related Products)
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	-----
PI	EP 475560	A1	19920318	EP 1991-301979	19910311
	R: DE, FR, GB, IT, SE				
	CA 2025416	AA	19920315	CA 1990-2025416	19900914
	JP 04234495	A2	19920824	JP 1991-190996	19910705
PRAI	CA 1990-2025416		19900914		
OS	MARPAT 117:114966				
AB	The lubricating oil compns. comprise a major amt. of lubricating oil selected from hydrotreated oil, poly-.alpha.-olefin and paraffinic white oil, and an antioxidant synergistic mixt. of (a) a low-volatility, hydrolytically stable, org. substituted ***phosphite*** or diphosphate, where the substituents groups are alkyl, aryl or alkylaryl, and ***phosphite*** contains no hydroxy groups, and (b) tris(2-hydroxyethyl-3,5-di-tert-butylhydroxycinnamate), isocyanurate or tris(3,5-di-tert-butyl-4-hydroxybenzyl)isocyanate. A suitable ***phosphite*** is tris(2,4-di-tert-butylphenyl) ***phosphite***.				
ST	lubricating oil stabilizer antioxidant; ***phosphite*** isocyanurate antioxidant lubricating oil; phenol hindered diphosphate antioxidant lubricating				
IT	Hydraulic fluids (antioxidants for, tris(hydroxyethyl-di-butyl- ***hydroxycinnamate***)isocyanurate and tris(di-tert-butyl(phenyl) ***phosphite***)				
IT	Lubricating oil additives (antioxidants, hindered phenols(di) ***phosphites***)				
IT	Lubricating oils (turbine, contg. tris(hydroxyethyl-di-tert-butyl-hydroxy cinnamate) isocyanurate and tris(di-tert-butylphenyl) ***phosphite***)				
IT	27676-62-6	34137-09-2			
	RL: USES (Uses) (antioxidants contg. (di) ***phosphite*** and, for lubricating oils)				
IT	26741-53-7,	Bis(2,4-di-tert-butylphenyl)pentaerythritol	diphosphate		
	31570-04-4				
	RL: USES (Uses) (antioxidants contg. hindered phenols and, for lubricating oils)				

L7 ANSWER 8 OF 11 CAPLUS COPYRIGHT 2002 ACS
AN 1991:44312 CAPLUS
DN 114:44312
TI ***Hydroxycinnamates*** and stabilized polyolefin compositions containing them
IN Miura, Takanori; Inoue, Takeshi; Aibayashi, Masayoshi
PA Yoshitomi Pharmaceutical Industries, Ltd., Japan
SO Jpn. Kokai Tokkyo Koho, 6 pp.
CODEN: JKXXAF

DT Patent
LA Japanese
IC ICM C07C069-732
ICS C08K005-13; C08L023-02
CC 37-6 (Plastics Manufacture and Processing)

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	-----
PI	JP 02193947	A2	19900731	JP 1989-14631	19890123
GI					

AB ***Hydroxycinnamates*** I [Z = 3-(3-tert-butyl-4-hydroxy-5-R-substituted-phenyl)propionyloxymethyl; R = C1-8 alkyl; m = 1-4] are useful as stabilizers for polyolefins. Stabilized polyolefin compns. contg. I and optionally tetrakis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionyloxymethyl]methane are also claimed. Thus, Me 3,5-di-tert-butyl-4-hydroxyphenylpropionate was oxidized by air at 200-205.degree., then treated with pentaerythritol in the presence of Li amide at 150-200.degree. and 200-10 mmHg to give I [R = Me3C, Z = 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionyloxymethyl, m = 1] (II). Then, polypropylene was mixed with 0.1% Ca stearate and 0.1% II, pelletized, then injection molded to give 1-mm test pieces with good thermal stability in processing, which showed brittleness point at 150.degree. 800 h and yellowing index 5.5, vs. 20 and 5.9, resp., for a similar compn. contg. tris(2,4-di-tert-butylphenyl) ***phosphite*** instead of II.

ST ***hydroxycinnamate*** polyolefin stabilizer; cinnamic ester
polyolefin stabilizer; hydroxyphenylpropionyloxymethylmethane
hydroxycinnamate polyolefin stabilized

IT Antioxidants
(***hydroxycinnamates*** , for polyolefins)

IT Alkenes, polymers
RL: USES (Uses)
(polymers, antioxidants for, ***hydroxycinnamates*** and optionally tetrakis[(hydroxyphenyl)propionyloxymethyl]methane as)

IT 9003-07-0, Polypropylene
RL: USES (Uses)
(antioxidants for, ***hydroxycinnamates*** and optionally tetrakis[(hydroxyphenyl)propionyloxymethyl]methane as)

IT 6386-38-5
RL: USES (Uses)
(oxidn. and transesterification of, with pentaerythritol)

IT 6683-19-8
RL: USES (Uses)
(polyolefin stabilized with ***hydroxycinnamates*** and)

IT 131610-63-4P
RL: PREP (Preparation)
(prepn. of, as stabilizers for polypropylene)

IT 115-77-5, reactions
RL: RCT (Reactant)
(transesterification of, with oxidized hydroxyphenylpropionates)

L7 ANSWER 9 OF 11 CAPLUS COPYRIGHT 2002 ACS
AN 1977:29505 CAPLUS
DN 86:29505
TI Halogenated ***hydroxycinnamate*** phosphates
IN Bodalski, Ryszard; Mikolajczyk, Jerzy; Sledzinski, Bohdan; Zwierzak, Andrzej; Cieslak, Ludwika
PA Instytut Przemyslu Organicznego, Pol.
SO Pol., 3 pp.
CODEN: POXXA7
DT Patent
LA Polish
IC C07F009-08
CC 25-18 (Noncondensed Aromatic Compounds)
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	PL 78177	B	19750430	PL 1972-156739	19720717
AB	Biol. active phosphates (R1CH2O)2P(O)2CR:CBrcO2Et (R = mono-, di-, or				

trichlorophenyl; R1 = H, Me, Et, ClCH2) (13 in all) were prepd. by
 condensation of RCOCB₂CO₂Et with the appropriate trialkyl
 phosphite
 ST ***hydroxycinnamate*** phosphate; cinnamate hydroxy phosphate;
 halocinnamate phosphonooxy
 IT 61479-58-1DP, esters 61479-59-2DP, esters 61479-60-5DP, esters
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (prepn. of)
 IT 10294-56-1D, esters
 RL: RCT (Reactant)
 (reaction of, with (chlorobenzoyl)dibromoacetate)
 IT 61447-43-6 61447-44-7 61447-45-8
 RL: RCT (Reactant)
 (reaction of, with trialkyl ***phosphites***)

L7 ANSWER 10 OF 11 CAPLUS COPYRIGHT 2002 ACS
 AN 1977:29504 CAPLUS
 DN 86:29504
 TI Chlorinated ***hydroxycinnamate*** phosphates
 IN Sledzinski, Bohdan; Bodalski, Ryszard; Mikolajczyk, Jerzy; Zwierzak,
 Andrzej; Cieslak, Ludwika
 PA Instytut Przemyslu Organicznego, Pol.
 SO Pol., 3 pp.
 CODEN: POXXA7
 DT Patent
 LA Polish
 IC C07F009-08
 CC 25-18 (Noncondensed Aromatic Compounds)
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	PL 78175	B	19750430	PL 1972-156738	19720717
AB	Biol. active phosphates (R1CH2O)2PO2CR:CClCO2Et (R = mono-, di-, or trichlorophenyl; R1 = H, Me, Et, ClCH2) (13 in all) were prepd. by condensation of RCOCCl2CO2Et with the appropriate ***phosphite***				
ST	***hydroxycinnamate*** phosphate; cinnamate hydroxy phosphate; chlorocinnamate phosphonooxy				
IT	61479-61-6DP, esters		61479-62-7DP, esters	61488-02-6DP, esters	
	RL: SPN (Synthetic preparation); PREP (Preparation) (prepn. of)				
IT	10294-56-1D, esters				
	RL: RCT (Reactant) (reaction of, with (chlorobenzoyl)dichloroacetate)				
IT	61447-40-3		61447-41-4	61447-42-5	
	RL: RCT (Reactant) (reaction of, with trialkyl ***phosphites***)				

L7 ANSWER 11 OF 11 CAPLUS COPYRIGHT 2002 ACS
 AN 1966:67353 CAPLUS
 DN 64:67353
 OREF 64:12554c-g
 TI Insecticidal and acaricidal compounds
 IN Beriger, Ernst
 PA CIBA Ltd.
 SO 8 pp.
 DT Patent
 LA Unavailable
 IC A01N
 CC 33 (Aliphatic Compounds)
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	DE 1187848		19650225	DE	

AB The title compds. (R1O)2P(O)OCR4:CR3CO2R2 (I) are prepd. by condensation of tertiary ***phosphites*** (R1O)2POR5 with .alpha.-halo-.beta.-oxo esters R4C(O)CXR3CO2R2 (X = halogen) in a solvent at 90-150.degree.. The I prepd. are listed in the table. The results of test some of these materials are reported. R1, R2, R3, R4, B.p./mm.; Me, C2H4OMe, Cl, Me, 147-8.degree./0.04; Et, C2H4OMe, Cl, Me, 136-40.degree./0.03; Me, C2H4OPr, Cl, Me, 152-4.degree./0.1; Et, C2H4OPr, Cl, Me, 148.degree./0.02; Me, C2H4OBu, Cl, Me, 154-5.degree./0.09; Et, C2H4OBu, Cl, Me, 151-5.degree./0.03; Me, C2H4OPh, Cl, Me, 193-8.degree./0.15; Et, C2H4OPh, Cl, Me, 197-203.degree./0.15; Me, C2H4OC2H4OMe, H, Me, 155.degree./0.06; Et, C2H4OC2H4OMe, H, Me, 157-60.degree./0.03; Me, C2H4OC2H4OMe, Cl, Me, 164.degree./0.2; Et, C2H4OC2H4Me, Cl, Me, 184.degree./0.25; Me, C2H4OC2H4OEt, H, Me, 155-8.degree./0.05; Et, C2H4OC2H4OEt, H, Me, 145.degree./0.015; iso-Pr, C2H4OC2H4OEt, H, Me, oil; CH2:CHCH2, C2H4OC2H4OEt, H, Me, oil; Bu, C2H4OC2H4OEt, H, Me, oil; Me, C2H4OC2H4OEt, Cl, Me, 158-60.degree./0.12; Et, C2H4OC2H4OEt, Cl, Me, 158.degree./0.04; Me, C2H4OC2H4OEt, H, Me, 142.degree./0.02; Et, C2H4OC2H4OPr, H, Me, 146-52.degree./0.03; Me, C2H4OC2H4OPr, Cl, Me, oil; Et, C2H4OC2H4OPr, Cl, Me, oil; Me, C2H4OCHMe2, Cl, Me, 137.degree./0.07; Et, C2H4OCHMe2, Cl, Me, 142.degree./0.04; Me, C2H4OBu-iso, Cl, Me, 150-3.degree./0.08; Et, C2H4OBu-iso, Cl, Me, 138-45.degree./0.03; Me, C2H4OCH2Ph, Cl, Me, oil; Me, CH(CH2OMe)2, H, Me, 127-34.degree./0.01; Et, CH(CH2OMe)2, H, Me, 134-8.degree./0.01; Me, CH(CH2OMe)2, Cl, Me, 158-60.degree./0.15; Et, CH(CH2OMe)2, Cl, Me, 142-5.degree./0.01; Me, (C2H4O)9Me, H, Me, oil; Et, (C2H4O)9Me, H, Me, oil; Me, (C2H4O)9Me, Cl, Me, oil; Et, (C2H4O)9Me, Cl, Me, oil; Me, C2H4OEt, Cl, Me, 136-40.degree./0.02; Et, C2H4OEt, Cl, Me, 146-50.degree./0.015; Me, C2H4OEt, Cl, Ph, oil; Et, C2H4OEt, Cl, Ph, oil; Me, C2H4SEt, H, Me, 110.degree./0.1; Et, C2H4SEt, H, Me, oil; Me, C2H4SEt, Cl, Me, oil; Et, C2H4SEt, Cl, Me, oil; .

IT Insecticides

(alkyl 3-hydroxycrotonate dialkyl phosphates as)

IT Crotonic acid, 2-chloro-3-hydroxy-, 2-(2-ethoxyethoxy)ethyl ester, di-Me phosphate

Crotonic acid, 2-chloro-3-hydroxy-, 2-(2-propoxyethoxy)ethyl ester, di-Me phosphate

Crotonic acid, 2-chloro-3-hydroxy-, ester with 2,5,8,11,14,17,20,23,26-nonaaoctacosan-28-ol, phosphate

Crotonic acid, 3-hydroxy-, 2-(2-ethoxyethoxy)ethyl ester, di-Et phosphate

Crotonic acid, 3-hydroxy-, ester with 2,5,8,11,14,17,20,23,26-nonaaoctasan-28-ol, di-Me phosphate

IT Ethanol, 2-(2-ethoxyethoxy)-, 3-hydroxycrotonates

Ethanol, 2-(2-methoxyethoxy)-, 3-hydroxycrotonates

Ethanol, 2-(2-propoxyethoxy)-, 3-hydroxycrotonates

Ethanol, 2-(ethylthio)-, 3-hydroxycrotonates

Ethanol, 2-butoxy-, 2-chloro-3-hydroxycrotonate

Ethanol, 2-ethoxy-, 2-chloro-3-hydroxycrotonate

Ethanol, 2-ethoxy-, .alpha.-chloro-.beta.- ***hydroxycinnamate***

Ethanol, 2-isobutoxy-, 2-chloro-3-hydroxycrotonate

Ethanol, 2-isopropoxy-, 2-chloro-3-hydroxycrotonate

Ethanol, 2-methoxy-, 2-chloro-3-hydroxycrotonate

Ethanol, 2-phenoxy-, 2-chloro-3-hydroxycrotonate

Ethanol, 2-propoxy-, 2-chloro-3-hydroxycrotonate

(dialkyl phosphates)

IT 5827-96-3, Cinnamic acid, .alpha.-chloro-.beta.-hydroxy-, 2-ethoxyethyl ester, di-Me phosphate 5827-97-4, Cinnamic acid, .alpha.-chloro-.beta.-hydroxy-, 2-ethoxyethyl ester, di-Et phosphate 5949-71-3, Crotonic acid, 2-chloro-3-hydroxy-, 2-methoxyethyl ester, di-Et phosphate 5984-24-7, Ethanol, 2-(benzyloxy)-, 2-chloro-3-hydroxycrotonate, di-Me phosphate 90436-41-2, Crotonic acid, 2-chloro-3-hydroxy-, 2-methoxyethyl ester, di-Me phosphate 91086-88-3, Crotonic acid, 2-chloro-3-hydroxy-, 2-(ethylthio)ethyl ester, di-Me phosphate 91086-89-4, Crotonic acid, 2-chloro-3-hydroxy-, 2-ethoxyethyl ester, di Me phosphate 91242-53-4,

Crotonic acid, 3-hydroxy-, 2-(2-methoxyethoxy)ethyl ester, di-Me phosphate
 91242-54-5, Crotonic acid, 3-hydroxy-, 2-methoxy-1-(methoxymethyl)ethyl
 ester, di-Me phosphate 91351-83-6, Crotonic acid, 3-hydroxy-,
 2-(ethylthio)ethyl ester, di-Me phosphate 91354-79-9, Crotonic acid,
 2-chloro-3-hydroxy-, 2-isopropoxyethyl ester, di-Me phosphate
 91354-80-2, Crotonic acid, 2-chloro-3-hydroxy-, 2-propoxyethyl ester,
 di-Me phosphate 91354-81-3, Crotonic acid, 2-chloro-3-hydroxy-,
 2-(2-methoxyethoxy)ethyl ester, di-Me phosphate 91556-32-0, Crotonic
 acid, 2-chloro-3-hydroxy-, 2-(ethylthio)ethyl ester, di-Et phosphate
 91556-33-1, Crotonic acid, 2-chloro-3-hydroxy-, 2-butoxyethyl ester, di-Me
 phosphate 91556-34-2, Crotonic acid, 2-chloro-3-hydroxy-, 2-ethoxyethyl
 ester, di-Et phosphate 91688-23-2, Crotonic acid, 2-chloro-3-hydroxy-,
 2-isobutoxyethyl ester, di-Me phosphate 91881-00-4, Crotonic acid,
 3-hydroxy-, 2-(2-ethoxyethoxy)ethyl ester, di-Me phosphate 91972-56-4,
 Crotonic acid, 2-chloro-3-hydroxy-, 2-isopropoxyethyl ester, di-Et
 phosphate 91972-57-5, Crotonic acid, 2-chloro-3-hydroxy-, 2-propoxyethyl
 ester, di-Et phosphate 91972-58-6, Crotonic acid, 2-chloro-3-hydroxy-,
 2-(2-methoxyethoxy)ethyl ester, di-Et phosphate 92031-83-9, Crotonic
 acid, 3-hydroxy-, 2-(2-methoxyethoxy)ethyl ester, di-Et phosphate
 92031-84-0, Crotonic acid, 3-hydroxy-, 2-(2-propoxyethoxy)ethyl ester,
 di-Me phosphate 92369-93-2, Crotonic acid, 2-chloro-3-hydroxy-,
 2-butoxyethyl ester, di-Et phosphate 92369-94-3, Crotonic acid,
 2-chloro-3-hydroxy-, 2-isobutoxyethyl ester, di-Et phosphate 92369-95-4,
 Crotonic acid, 2-chloro-3-hydroxy-, 2-(2-ethoxyethoxy)ethyl ester, di-Et
 phosphate 92378-70-6, Crotonic acid, 2-chloro-3-hydroxy-, 2-phenoxyethyl
 ester, di-Me phosphate 92861-60-4, Crotonic acid, 3-hydroxy-,
 2-(2-propoxyethoxy)ethyl ester, di-Et phosphate 93047-20-2, Crotonic
 acid, 2-chloro-3-hydroxy-, 2-phenoxyethyl ester di-Et phosphate
 93153-57-2, Crotonic acid, 3-hydroxy-, 2-(2-ethoxyethoxy)ethyl ester,
 diiso-Pr phosphate 93161-26-3, Crotonic acid, 3-hydroxy-,
 2-(2-ethoxyethoxy)ethyl ester, diallyl phosphate 93350-47-1, Crotonic
 acid, 3-hydroxy-, 2-(ethylthio)ethyl ester, di-Et phosphate 93352-14-8,
 Crotonic acid, 2-chloro-3-hydroxy-, 2-methoxy-1-(methoxymethyl)ethyl
 ester, di-Et phosphate 93428-51-4, Crotonic acid, 3-hydroxy-,
 2-methoxy-1-(methoxymethyl)ethyl ester, di-Et phosphate 93648-40-9,
 Crotonic acid, 2-chloro-3-hydroxy-, 2-(benzyloxy)ethyl ester, di-Me
 phosphate 94028-01-0, Crotonic acid, 2-chloro-3-hydroxy-,
 2-(2-propoxyethoxy)ethyl ester, di-Et phosphate 96364-28-2, Crotonic
 acid, 3-hydroxy-, 2-(2-ethoxyethoxy)ethyl ester, di-Bu phosphate
 106504-13-6, Crotonic acid, 3-hydroxy-, ester with 2,5,8,11,14,17,20,23,26-
 nonaoxaoctacosan-28-ol, di-Et phosphate 106505-18-4, Crotonic acid,
 2-chloro-3-hydroxy-, ester with 2,5,8,11,14,17,20,23,26-nonaaoctacosan-
 28-ol, di-Et phosphate 111164-70-6, Crotonic acid, 2-chloro-3-hydroxy-,
 2-methoxy-1-(methoxymethyl)ethyl ester, di-Me phosphate
 (prepn. of)

=> file stnguide
 COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
61.06	61.27

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-6.82	-6.82

CA SUBSCRIBER PRICE

FILE 'STNGUIDE' ENTERED AT 16:55:56 ON 17 SEP 2002
 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
 COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE
 AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.
 LAST RELOADED: Sep 13, 2002 (20020913/UP).

=> file caplus
COST IN U.S. DOLLARS

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

CA SUBSCRIBER PRICE

SINCE FILE	TOTAL
ENTRY	SESSION
0.60	61.87

SINCE FILE	TOTAL
ENTRY	SESSION
0.00	-6.82

FILE 'CAPLUS' ENTERED AT 17:01:47 ON 17 SEP 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 17 Sep 2002 VOL 137 ISS 12
FILE LAST UPDATED: 16 Sep 2002 (20020916/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

CAS roles have been modified effective December 16, 2001. Please check your SDI profiles to see if they need to be revised. For information on CAS roles, enter HELP ROLES at an arrow prompt or use the CAS Roles thesaurus (/RL field) in this file.

=> log hold
COST IN U.S. DOLLARS

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

CA SUBSCRIBER PRICE

SINCE FILE	TOTAL
ENTRY	SESSION
0.40	62.27

SINCE FILE	TOTAL
ENTRY	SESSION
0.00	-6.82

SESSION WILL BE HELD FOR 60 MINUTES
STN INTERNATIONAL SESSION SUSPENDED AT 17:02:04 ON 17 SEP 2002

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal106cxt

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2	Apr 08	"Ask CAS" for self-help around the clock
NEWS	3	Apr 09	BEILSTEIN: Reload and Implementation of a New Subject Area
NEWS	4	Apr 09	ZDB will be removed from STN
NEWS	5	Apr 19	US Patent Applications available in IFICDB, IFIPAT, and IFIUDB
NEWS	6	Apr 22	Records from IP.com available in CAPLUS, HCAPLUS, and ZCAPLUS
NEWS	7	Apr 22	BIOSIS Gene Names now available in TOXCENTER
NEWS	8	Apr 22	Federal Research in Progress (FEDRIP) now available
NEWS	9	Jun 03	New e-mail delivery for search results now available
NEWS	10	Jun 10	MEDLINE Reload
NEWS	11	Jun 10	PCTFULL has been reloaded
NEWS	12	Jul 02	FOREGE no longer contains STANDARDS file segment
NEWS	13	Jul 22	USAN to be reloaded July 28, 2002; saved answer sets no longer valid
NEWS	14	Jul 29	Enhanced polymer searching in REGISTRY
NEWS	15	Jul 30	NETFIRST to be removed from STN
NEWS	16	Aug 08	CANCERLIT reload
NEWS	17	Aug 08	PHARMAMarketLetter(PHARMAML) - new on STN
NEWS	18	Aug 08	NTIS has been reloaded and enhanced
NEWS	19	Aug 19	Aquatic Toxicity Information Retrieval (AQUIRE) now available on STN
NEWS	20	Aug 19	IFIPAT, IFICDB, and IFIUDB have been reloaded
NEWS	21	Aug 19	The MEDLINE file segment of TOXCENTER has been reloaded
NEWS	22	Aug 26	Sequence searching in REGISTRY enhanced
NEWS	23	Sep 03	JAPIO has been reloaded and enhanced
NEWS	24	Sep 16	Experimental properties added to the REGISTRY file
NEWS	25	Sep 16	Indexing added to some pre-1967 records in CA/CAPLUS
NEWS	26	Sep 16	CA Section Thesaurus available in CAPLUS and CA
NEWS EXPRESS			February 1 CURRENT WINDOWS VERSION IS V6.0d, CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP), AND CURRENT DISCOVER FILE IS DATED 05 FEBRUARY 2002
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS INTER			General Internet Information
NEWS LOGIN			Welcome Banner and News Items
NEWS PHONE			Direct Dial and Telecommunication Network Access to STN
NEWS WWW			CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.